MONOPOLAR ELECTROSURGICAL PENCILS



Important notes

The authors and ERBE Elektromedizin GmbH have taken the greatest possible care while compiling the catalogue with electrosurgical accessories. Nevertheless, it is impossible to exclude the possibility that errors may be contained herein.

The information and recommendations given here may not be construed as constituting any basis for any claims against ERBE Elektromedizin GmbH. Should legal regulations stipulate liability, such liability shall be limited to intentional misconduct or gross negligence.

The data on the use of instruments is based on clinical experience. Medical science is subject to a process of permanent change based on research and clinical experience. Therefore the products are subject to alterations in design and technique. Because of production tolerances dimensions in the catalogue may marginally differ.

We confirm that none of our products contain latex, except the rubber straps, Art. No. 20592-009 and 20592-011.

Please read carefully the corresponding notes on use before using any instrument.

Further product information



Electrosurgery

Monopolar electrosurgical pencils

PREMIUM electrosurgical pencils (Ø 4 mm) 04
PREMIUM electrosurgical pencils (Ø 2.4 mm) 07
ECO-LINE electrosurgical pencils (Ø 2.4 mm) 08
SINGLE USE electrosurgical pencils (Ø 2.4 mm) 09
Electrosurgical pencils for T-Series 11
Special electrosurgical pencils for electrodes Ø 4 mm 12
Electrosurgical pencils for arthroscopy (Ø 2 mm) 13
Electrosurgical pencils for microsurgery (Ø 1.6 mm) 14
Electrosurgical pencils for epilation (Ø 0.8 mm) 15
Electrosurgical pencils for nerve test 15

Overview

Rate of applications	4 basic shapes	Connection
PREMIUM reusable (blue or black pencil)	with 3 buttons	with integrated connecting cable
ECO-LINE reusable (grey pencil)	with 2 buttons	without connecting cable
SINGLE USE single use (white pencil)	with rocker switch	
	without button	

Monopolar electrosurgical pencils

PREMIUM electrosurgical pencils (Ø 4 mm) — Ø 4 mm

VIO ReMode electrosurgical pencil with 3 buttons

with connecting cable 4 m and MF plug

No. 20190-115	
= 1	5 kVp
	max 95 °C
30190-257	max 138 °C

Electrosurgical pencil with 2 buttons, VIO, ICC, ACC, Standard / International

without connecting cable

No. 20190-045	
= 1	4.3 kVp
	max 95 °C
30190-179	max 138 °C

Monopolar connecting cables		Length	No.
Standard		4 m 5 m	20192-127 20192-094
International		4 m	20192-110
Martin Standard		4 m	20192-099

Electrosurgical pencil with 2 buttons, VIO, ICC, ACC, non-ERBE units, International

with connecting cable 4 m

No. 20190-062	
= 1	4.3 kVp
	max 95 °C
30190-179	max 138 °C

Ø 4 mm

PREMIUM electrosurgical pencils (Ø 4 mm)

Slim-Line electrosurgical pencil with 2 buttons, VIO, ICC, ACC, Standard

with connecting cable 4 m

No. 20190-065	
= 1	4 kVp
	max 95 °C
30190-179	max 138 °C

Slim-Line electrosurgical pencil with 2 buttons, VIO, ICC, ACC, non-ERBE units, International

with connecting cable 4 m

No. 20190-066	
= 1	6 kVp
	max 95 °C
30190-179	max 138 °C

Slim-Line electrosurgical pencil with rocker switch, VIO, ICC, ACC, Standard

with connecting cable 4 m

No. 20190-074	
= 1	4 kVp
	max 95 °C
30190-179	max 138 °C

Slim-Line electrosurgical pencil with rocker switch, VIO, ICC, ACC, non-ERBE units, International

with connecting cable 4 m

No. 20190-075	
= 1	6 kVp
	max 95 °C
30190-179	max 138 °C

Slim-Line electrosurgical pencil with rocker switch, VIO, ICC, ACC, Standard

with connecting cable 4 m, with extension 70 mm

No. 20190-090	
= 1	2.5 kVp
	max 95 °C
30190-179	max 138 °C

Slim-Line electrosurgical pencil with rocker switch, VIO, ICC, ACC, non-ERBE units, International

with connecting cable 4 m, with extension 70 mm

No. 20190-093	
= 1	2.5 kVp
	max 95 °C
30190-179	max 138 °C

Monopolar electrosurgical pencils

PREMIUM electrosurgical pencils (Ø 4 mm) — Ø 4 mm

Slim-Line electrosurgical pencil with rocker switch, VIO, ICC, ACC, Standard

with connecting cable 4 m, with extension 100 mm

No. 20190-091	
= 1	2.5 kVp
	max 95 °C
30190-179	max 138 °C

Slim-Line electrosurgical pencil with rocker switch, VIO, ICC, ACC, non-ERBE units, International

with connecting cable 4 m, with extension 100 mm

No. 20190-094	
= 1	2.5 kVp
	max 95 °C
30190-179	max 138 °C

Slim-Line electrosurgical pencil with rocker switch, VIO, ICC, ACC, Standard

with connecting cable 4 m, with extension 125 mm

No. 20190-092	
= 1	2.5 kVp
	max 95 °C
30190-179	max 138 °C

Slim-Line electrosurgical pencil with rocker switch, VIO, ICC, ACC, non-ERBE units, International

with connecting cable 4 m, with extension 125 mm

No. 20190-095	
= 1	2.5 kVp
	max 95 °C
30190-179	max 138 °C

Electrosurgical pencil without button, VIO, ICC, ACC, Standard

with connecting cable 4 m. The generator is activated by foot switch

No. 20190-047	
= 1	4 kVp
	max 95 °C
30190-179	max 138 °C

Electrosurgical pencil without button, VIO, ICC, ACC, non-ERBE units, International Ø 8 mm (Bovie Jack)

International Ø 8 mm (Bovie Jack), with connecting cable 4 m.
The generator is activated by foot switch.

No. 20190-146	
= 1	4 kVp
	max 95 °C
30190-179	max 138 °C

Ø 2,4 mm

PREMIUM electrosurgical pencils (Ø 2.4 mm)

Slim-Line electrosurgical pencil with 2 buttons, VIO, ICC, ACC, Standard

with connecting cable 4 m

No. 20190-105	
= 1	4 kVp
	max 95 °C
30190-179	max 138 °C

Slim-Line electrosurgical pencil with 2 buttons, VIO, ICC, ACC, non-ERBE units, International

with connecting cable 4 m

No. 20190-067	
= 1	6 kVp
	max 95 °C
30190-179	max 138 °C

Slim-Line electrosurgical pencil with rocker switch, VIO, ICC, ACC, Standard

with connecting cable 4 m

No. 20190-104	
= 1	4 kVp
	max 95 °C
30190-179	max 138 °C

Slim-Line electrosurgical pencil with rocker switch, VIO, ICC, ACC, non-ERBE units, International

with connecting cable 4 m

No. 20190-076	
= 1	6 kVp
	max 95 °C
30190-179	max 138 °C

Monopolar electrosurgical pencils

ECO-LINE electrosurgical pencils (Ø 2.4 mm) — Ø 2,4 mm

ECO-Line electrosurgical pencil with 2 buttons, VIO, ICC, ACC, non-ERBE units, International

with connecting cable 4 m, for 50 processing cycles

No. 20190-111	
= 1	5 kVp
	max 95 °C
30190-255	max 138 °C

ECO-Line electrosurgical pencil with rocker switch, VIO, ICC, ACC, non-ERBE units, International

with connecting cable 4 m, for 50 processing cycles

No. 20190-112	
= 1	5 kVp
	max 95 °C
30190-255	max 138 °C

Monopolar adapters for electrosurgical pencils with connecting plug International		No.
VIO, ICC, ACC, Standard		20183-028
T-Series		20183-029

Ø 2,4 mm

SINGLE USE electrosurgical pencils (Ø 2.4 mm)

Electrosurgical pencil with 2 buttons, VIO, ICC, ACC, non-ERBE units, International

with connecting cable 3 m, with needle electrode

No. 20190-117	
= 10	4.3 kVp
30190-259	STERILE R

Electrosurgical pencil with 2 buttons, VIO, ICC, ACC, non-ERBE units, International

with connecting cable 3 m, with spatula electrode without protective holster

No. 20190-106	
= 10	4.3 kVp
30190-212	STERILE R

Electrosurgical pencil with 2 buttons, VIO, ICC, ACC, non-ERBE units, International

with connecting cable 3 m, with spatula electrode and protective holster

No. 20190-107	
= 30	4.3 kVp
30190-212	STERILE R

Electrosurgical pencil with rocker switch, VIO, ICC, ACC, non-ERBE units, International

with connecting cable 3 m, with spatula electrode without protective holster

No. 20190-109	
= 10	4.3 kVp
30190-212	STERILE R

Electrosurgical pencil with rocker switch, VIO, ICC, ACC, non-ERBE units, International

with connecting cable 3 m, with spatula electrode and protective holster

No. 20190-108	
= 30	4.3 kVp
30190-212	STERILE R

Monopolar electrosurgical pencils

SINGLE USE electrosurgical pencils (Ø 2.4 mm) — Ø 2,4 mm

Electrosurgical pencil without button, VIO, ICC, ACC, 4 mm plug

with connecting cable 3 m, with spatula electrode. The generator is activated by foot switch.

No. 20190-116	
= 10	4.3 kVp
30190-259	STERILE R

Monopolar adapters for electrosurgical pencils with connecting plug International	No.
VIO, ICC, ACC, Standard 	20183-028
T-Series 	20183-029

Electrosurgical pencils T-series

Electrosurgical pencil with 2 buttons, T-Series, Standard

for electrodes Ø 4 mm, without connecting cable

No. 20190-048	
= 1	4.3 kVp
	max 95 °C
30190-180	max 138 °C

Electrosurgical pencil with 2 buttons, T-Series, Standard

for arthroscopy, for electrodes Ø 2 mm, without connecting cable

No. 20190-097	
= 1	4 kVp
	max 95 °C
30190-196	max 138 °C

Monopolar connecting cables		Length	No.
T-Series		4 m 5 m	20192-095 20192-128

Epilation handle without button, T-Series, Standard

with connecting cable 2 m, for electrodes Ø 0,8 mm. The generator is activated by foot switch.

No. 20190-008	
= 1	1 kVp
	max 95 °C
30190-197	max 138 °C

Monopolar electrosurgical pencils

Special electrosurgical pencils for electrodes Ø 4 mm — Ø 4 mm

Suction and coagulation electrode, suction tube bendable, length 125 mm, with suction control

suction Ø 3 mm (14 G, Gauge), connection for electrosurgical units Ø 4 mm, tube coupling from Ø 3 mm to Ø 5 mm

No. 20191-136

= 1 | 2.5 kVp | max 95 °C | max 134 °C | 30191-688

Monopolar connecting cables		Length	No.
Standard		4 m	20192-097
International		4 m	20192-111
T-Series		4 m	20192-098
Martin Standard		4 m	20192-100

Pistol-shaped handle, VIO, ICC, ACC, Standard / International

without connecting cable, for conization electrodes Ø 4 mm, rotation angle 360°

No. 20190-041

= 1 | 0.5 kVp | max 95 °C | max 138 °C | 30190-198

Monopolar connecting cables		Length	No.
Standard		4 m	20192-097
International		4 m	20192-111
T-Series		4 m	20192-098

Ø 2 mm

Electrosurgical pencils for arthroscopy (Ø 2 mm)

Electrosurgical pencil with 2 buttons, VIO, ICC, ACC, Standard / International

without connecting cable

No. 20190-082	
= 1	4 kVp
	max 95 °C
30190-196	max 138 °C

Monopolar connecting cables		Length	No.
Standard		4 m 5 m	20192-127 20192-094
International		4 m	20192-110

Electrosurgical pencil with 2 buttons, VIO, ICC, ACC, non-ERBE units, International

with connecting cable 4 m

No. 20190-098	
= 1	4 kVp
	max 95 °C
30190-196	max 138 °C

Electrosurgical pencil with 2 buttons, T-Series, Standard

for arthroscopy, for electrodes Ø 2 mm, without connecting cable

No. 20190-097	
= 1	4 kVp
	max 95 °C
30190-196	max 138 °C

Monopolar connecting cables		Length	No.
T-Series		4 m 5 m	20192-095 20192-128

Monopolar electrosurgical pencils

Electrosurgical pencils for microsurgery (Ø 1.6 mm) — Ø 1,6 mm

Slim-Line electrosurgical pencil with 2 buttons, VIO, ICC, ACC, Standard

with connecting cable 4 m

No. 20197-034	
= 1	4 kVp
	max 95 °C
30190-179	max 138 °C

Slim-Line electrosurgical pencil with 2 buttons, VIO, ICC, ACC, International

with connecting cable 4 m

No. 20197-035	
= 1	6 kVp
	max 95 °C
30190-179	max 138 °C

Electrosurgical pencil without button, VIO, ICC, ACC, Standard

with connecting cable 3 m. The generator is activated by foot switch.

No. 20197-041	
= 1	0.8 kVp
	max 95 °C
30190-179	max 138 °C

Ø 0,8 mm

Electrosurgical pencils for epilation (Ø 0.8 mm)

Epilation handle without button, VIO, ICC, ACC, Standard



with connecting cable 2 m. The generator is activated by foot switch.

No. 20190-064	
= 1	1 kVp
	max 95 °C
30190-197	max 138 °C

Epilation handle without button, T-Series, Standard

with connecting cable 2 m, for electrodes Ø 0,8 mm. The generator is activated by foot switch.

No. 20190-008	
= 1	1 kVp
	max 95 °C
30190-197	max 138 °C

Electrosurgical pencils for nerve test

Electrosurgical pencil for nerve test with 1 button, for silver ball electrode, NT 2, ICC 350 ZMK

with connecting cable 4 m

No. 20190-148	
= 1	0.25 kVp
	max 95 °C
30190-262	max 138 °C

Silver ball electrode	No.
	20191-079

ELECTROSURGERY

VESSEL SEALING

ARGON PLASMA COAGULATION

CRYO SURGERY

WATERJET SURGERY

ERBE Elektromedizin GmbH
Waldhoernlestrasse 17
72072 Tuebingen
Germany
Phone +49 7071 755-0
Fax +49 7071 755-179
info@erbe-med.com
www.erbe-med.com

ISO 9001
ISO 13485
CERTIFICATION

ERBE

Perfection for Life

© ERBE Elektromedizin GmbH 2011

04.11

85100-161